



Enduraa
FUONLSS

OPENING DEVICE

A specific device made of nickel-plated steel, allows fast opening and closing of plugs and sockets MAXIMUS. The fast opening device reduces the cabling time as it needs just a light pressure with a tool for the openings, while for the closing it is necessary just a simple rotation between the handle and the plug or socket.



CLAMPS

All the screws of the clamps are directed in the same direction, so that it is not necessary to turn the plug or sockets during the cabling operations. The tightening of all the screws can be effected with a blade or cross screwdriver. All the screws are given completely unscrewed in order to get faster the cabling operations. Using the locking screws of the clamps the maximum passing of the current is warranted.



TOTAL QUALITY

The crown of the plugs MAXIMUS is reinforced as it is highly exposed to collisions and crushing



CABLE BLOCK GLAND

Fig 1



Fig 1 The cable block gland is composed of the handle (A) watertight neoprene washer, (B) clamps for tearing resistance (C) crown for handle the clamps (D) threaded nut (E).



Fig 2

Fig 2

Put the rubber washer (B) the clamps (C) and the crown (D) in the cone of the handle (A) .
The nut will lock everything.



Fig 3

Fig 3

The cable locking is effected by turning the nut (A) in a clockwise direction, getting easy all the cabling operations without using any other tool.



Fig 4

Fig 4

Example of assembling and fast cabling.
All the sockets MAXIMUS are endowed with cable block gland system already mounted. The user have just to thread the cable, mount and lock the ferrules of the cables to the contacts, hook the handle to the plug or socket and turn to right, block the braiding nut.
This operation grants the resistance to tearings of the cables and the protection degree.



Art. MR9213



Art. MR9214



Art. MR9413

SERIES 10 IEC 309

Fast assembling and cabling plugs low voltage.
50/60HZ-IP44

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR9101	2P+T	16	110-130 V		4	10/150
MR9102	3P+T	16	110-130 V		4	10/150
MR9103	2P+T	32	110-130 V		4	7/105
MR9104	3P+T	32	110-130 V		4	7/105

MR9213	2P+T	16	220-240 V		6	10/150
MR9105	3P+T	16	220-240 V		9	10/150
MR9111	3P+N+T	16	220-240 V		9	8/120
MR9413	2P+T	32	220-240 V		6	7/105
MR9106	3P+T	32	220-240 V		9	5/75

MR9214	3P+T	16	380-415 V		6	10/150
MR9215	3P+N+T	16	380-415 V		6	8/120
MR9414	3P+T	32	380-415 V		6	7/105
MR9415	3P+N+T	32	380-415 V		6	5/75

MR9107	3P+T	16	500 V		7	10/150
MR9108	3P+N+T	16	500 V		7	8/120
MR9109	3P+T	32	500 V		7	7/105
MR9110	3P+N+T	32	500 V		7	5/75

Technical data page 102 pictures 1



Art. MR8414



Art. MR9162

SERIES 10 IEC 309

Fast assembling and cabling plugs low voltage.
50/60HZ-IP67

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR9151	2P+T	16	110-130 V		4	10/150
MR9152	3P+T	16	110 130 V		4	8/120
MR9153	2P+T	32	110 130 V		4	4/60
MR9154	3P+T	32	110 130 V		4	4/60
MR9155	2P+T	63	110 130 V		4	10/10
MR9156	3P+T	63	110 130 V		4	10/10

MR8213	2P+T	16	220 240 V		6	10/150
MR9157	3P+T	16	220 240 V		9	8/120
MR9169	3P+N+T	16	220 240 V		9	6/90
MR8413	2P+T	32	220 240 V		6	4/60
MR9158	3P+T	32	220 240 V		9	4/60
MR9159	2P+T	63	220 240 V		6	10/10
MR9160	3P+T	63	220 240 V		9	10/10

MR8214	3P+T	16	380 415 V		6	8/120
MR8215	3P+N+T	16	380 415 V		6	6/90
MR8414	3P+T	32	380 415 V		6	4/60
MR8415	3P+N+T	32	380 415 V		6	4/60
MR9161	3P+T	63	380 415 V		6	10/10
MR9162	3P+N+T	63	380 415 V		6	10/10
MR8414-3H	3P+T	32	380 415 V		3	4/60

MR9163	3P+T	16	500 V		7	8/120
MR9164	3P+N+T	16	500 V		7	6/90
MR9165	3P+T	32	500 V		7	4/60
MR9166	3P+N+T	32	500 V		7	4/60
MR9167	3P+T	63	500 V		7	10/10
MR9168	3P+N+T	63	500 V		7	10/10

Technical data page 102-110 pictures 2-80

SERIES 10 IEC 309

Extra-low voltage plugs IP44

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9211	2P	50/60	16	24 (20-25)		10/150
MR9112	3P	50/60	16			10/150
MR9113	2P	50/60	16			10/150
MR9114	3P	50/60	16	42 (40-50)		10/150
MR9115	2P	100/200	16			10/150
MR9116	3P	100/200	16	24 (20-25)		10/150
MR9117	2P	401/500	16			10/150
MR9118	3P	401/500	16	42 (40-50)		10/150

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9119	2P	50/60	32	24 (20-25)		10/150
MR9120	3P	50/60	32			10/150
MR9121	2P	50/60	32	42 (40-50)		10/150
MR9122	3P	50/60	32			10/150
MR9123	2P	100/200	32			10/150
MR9124	3P	100/200	32	24 (20-25)		10/150
MR9125	2P	401/500	32			10/150
MR9126	3P	401/500	32	42 (40-50)		10/150



Art. MR9211

SERIES 10 IEC 309

Extra-low voltage plugs IP44

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9171	2P	50/60	16	24 (20-25)		10/150
MR9172	3P	50/60	16			10/150
MR9173	2P	50/60	16	42 (40-50)		10/150
MR9174	3P	50/60	16			10/150
MR9175	2P	100/200	16			10/150
MR9176	3P	100/200	16	24 (20-25)		10/150
MR9177	2P	401/500	16			10/150
MR9178	3P	401/500	16	42 (40-50)		10/150

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9179	2P	50/60	32	24 (20-25)		10/150
MR9180	3P	50/60	32			10/150
MR9181	2P	50/60	32	42 (40-50)		10/150
MR9182	3P	50/60	32			10/150
MR9183	2P	100/200	32			10/150
MR9184	3P	100/200	32	24 (20-25)		10/150
MR9185	2P	401/500	32			10/150
MR9186	3P	401/500	32	42 (40-50)		10/150



Art. MR9171



Art. MR1012

SERIES 10 IEC 309

Wall plugs angled at 90° low tension 50/60Hz-IP44

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR1011	2P+T	16	110÷130 V	4	4/60
MR1013	3P+T	16	110÷130 V	4	4/60
MR1017	2P+T	32	110÷130 V	4	2/30
MR1018	3P+T	32	110÷130 V	4	2/30

MR1012	2P+T	16	220÷240 V	6	4/60
MR1014	3P+T	16	220÷240 V	9	4/60
MR1027	3P+N+T	16	220÷240 V	9	2/30
MR1019	2P+T	32	220÷240 V	6	2/30
MR1020	3P+T	32	220÷240 V	9	2/30

MR1015	3P+T	16	380÷415 V	6	4/60
MR1021	3P+N+T	16	380÷415 V	6	2/30
MR1022	3P+T	32	380÷415 V	6	2/30
MR1023	3P+N+T	32	380÷415 V	6	2/30

MR1016	3P+T	16	500 V	7	4/60
MR1024	3P+N+T	16	500 V	7	2/30
MR1025	3P+T	32	500 V	7	2/30
MR1026	3P+N+T	32	500 V	7	2/30

Technical data page 102 pictures 5



Art. MR1065

SERIES 10 IEC 309

Wall plugs angled at 90° low tension 50/60Hz-IP67

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR1051	2P+T	16	110÷130 V	4	4/60
MR1053	3P+T	16	110÷130 V	4	4/60
MR1057	2P+T	32	110÷130 V	4	2/30
MR1058	3P+T	32	110÷130 V	4	2/30
MR1060	2P+T	63	110÷130 V	4	2/2
MR1059	3P+T	63	110÷130 V	4	2/2

MR1052	2P+T	16	220÷240 V	6	4/60
MR1054	3P+T	16	220÷240 V	9	4/60
MR1075	3P+N+T	16	220÷240 V	9	2/30
MR1061	2P+T	32	220÷240 V	6	2/30
MR1062	3P+T	32	220÷240 V	9	2/30
MR1063	2P+T	63	220÷240 V	6	2/2
MR1064	3P+T	63	220÷240 V	9	2/2

MR1055	3P+T	16	380÷415 V	6	4/60
MR1065	3P+N+T	16	380÷415 V	6	4/60
MR1066	3P+T	32	380÷415 V	6	2/30
MR1067	3P+N+T	32	380÷415 V	6	2/30
MR1068	3P+T	63	380÷415 V	6	2/2
MR1069	3P+N+T	63	380÷415 V	6	2/2

MR1056	3P+T	16	500 V	7	4/60
MR1070	3P+N+T	16	500 V	7	2/30
MR1071	3P+T	32	500 V	7	2/30
MR1072	3P+N+T	32	500 V	7	2/30
MR1073	3P+T	63	500 V	7	2/2
MR1074	3P+N+T	63	500 V	7	2/2

Technical data page 102 pictures 6

SERIES 10 IEC 309

Straight plugs low tension 50/60Hz IP44

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR1150	2P+T	16	110÷130 V	Yellow	4	4/120
MR1151	3P+T	16	110÷130 V	Yellow	4	4/120
MR1152	2P+T	16	200÷250 V	Blue	6	4/120
MR1153	3P+T	16	200÷250 V	Blue	9	4/120
MR1154	3P+T	16	380÷415 V	Red	6	4/120
MR1155	3P+N+T	16	200/346÷240/415 V	Red	6	4/120
MR1156	3P+T	16	500 V	Black	7	4/120
MR1157	3P+N+T	16	500 V	Black	7	4/120



Art. MR1152

Technical data page 111 pictures 86

SERIES 10 IEC 309

Straight plugs low tension 50/60Hz IP67

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR1158	2P+T	16	110÷130 V	Yellow	4	4/120
MR1159	3P+T	16	110÷130 V	Yellow	4	4/120
MR1160	2P+T	16	200÷250 V	Blue	6	4/120
MR1161	3P+T	16	200÷250 V	Blue	9	4/120
MR1162	3P+T	16	380÷415 V	Red	6	4/120
MR1163	3P+N+T	16	200/346÷240/415 V	Red	6	4/120
MR1164	3P+T	16	500 V	Black	7	4/120
MR1165	3P+N+T	16	500 V	Black	7	4/120



Art. MR1160

Technical data page 113 pictures 86



Art. MR1114



Art. MR1107

Technical data page 109 pictures 78

SERIES 10 IEC 309

Straight plugs low tension 50/60Hz-IP44

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR1110	2P+T	16	110+130 V	4	10/150
MR1111	3P+T	16	110+130 V	4	10/150
MR1112	2P+T	32	110+130 V	4	5/75
MR1113	3P+T	32	110+130 V	4	5/75

MR1107	2P+T	16	220+240 V	6	10/150
MR1114	3P+T	16	220+240 V	9	10/150
MR1108	2P+T	32	220+240 V	6	5/75
MR1115	3P+T	32	220+240 V	9	5/75

MR1116	3P+T	16	380+415 V	6	10/150
MR1117	3P+N+T	16	380+415 V	6	8/120
MR1118	3P+T	32	380+415 V	6	5/75
MR1109	3P+N+T	32	380+415 V	6	5/75

MR1119	3P+T	16	500 V	7	10/150
MR1120	3P+N+T	16	500 V	7	8/120
MR1121	3P+T	32	500 V	7	5/75
MR1122	3P+N+T	32	500 V	7	5/75

SERIES 10 IEC 309

Straight plugs low tension 50/60Hz-IP44



Art. MR1107S

Technical data page 110 pictures 81

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR1110S	2P+T	16	110+130 V	4	10/150
MR1111S	3P+T	16	110+130 V	4	10/150
MR1112S	2P+T	32	110+130 V	4	10/150
MR1113S	3P+T	32	110+130 V	4	10/150

MR1107S	2P+T	16	200+250 V	6	10/150
MR1114S	3P+T	16	200+250 V	9	10/150
MR1108S	3P+N+T	16	200+250 V	9	10/150
MR1115S	2P+T	32	200+250 V	6	10/150

MR1116S	3P+T	16	380+415 V	6	10/150
MR1117S	3P+N+T	16	200/346+240/415 V	6	10/150
MR1118S	3P+T	32	380+415 V	6	10/150
MR1109S	3P+N+T	32	200/346+240/415 V	6	10/150

MR1119S	3P+T	16	500 V	7	10/150
MR1120S	3P+N+T	16	500 V	7	10/150
MR1121S	3P+T	32	500 V	7	10/150
MR1122S	3P+N+T	32	500 V	7	10/150

SERIES 10 IEC 309

Wall plugs low tension 50/60Hz-IP44



Art. MR1128



Art. MR1127

Technical data page 112 pictures 79

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR1123	2P+T	16	110+130 V	4	3/45
MR1124	3P+T	16	110+130 V	4	3/45
MR1125	2P+T	32	110+130 V	4	2/30
MR1126	3P+T	32	110+130 V	4	2/30

MR1127	2P+T	16	220+240 V	6	3/45
MR1128	3P+T	16	220+240 V	9	3/45
MR1129	2P+T	32	220+240 V	6	2/30
MR1130	3P+T	32	220+240 V	9	2/30

MR1131	3P+T	16	380+415 V	6	3/45
MR1132	3P+N+T	16	380+415 V	6	3/45
MR1133	3P+T	32	380+415 V	6	2/30
MR1134	3P+N+T	32	380+415 V	6	2/30

MR1135	3P+T	16	500 V	7	3/45
MR1136	3P+N+T	16	500 V	7	3/45
MR1137	3P+T	32	500 V	7	2/30
MR1138	3P+N+T	32	500 V	7	2/30

SERIES 11 IEC 309

Fast assembling and cabling connectors low voltage.
50/60Hz-IP44

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR9001	2P+T	16	110÷130 V		4	10/150
MR9002	3P+T	16	110÷130 V		4	10/150
MR9003	2P+T	32	110÷130 V		4	5/75
MR9004	3P+T	32	110÷130 V		4	5/75

MR9223	2P+T	16	220÷240 V		6	10/150
MR9005	3P+T	16	220÷240 V		9	10/150
MR9526	3P+N+T	16	220÷240 V		9	5/75
MR9523	2P+T	32	220÷240 V		6	5/75
MR9006	3P+T	32	220÷240 V		9	5/75

MR9224	3P+T	16	380÷415 V		6	10/150
MR9225	3P+N+T	16	380÷415 V		6	6/90
MR9524	3P+T	32	380÷415 V		6	5/75
MR9525	3P+N+T	32	380÷415 V		6	6/75

MR9007	3P+T	16	500 V		7	10/150
MR9008	3P+N+T	16	500 V		7	5/75
MR9009	3P+T	32	500 V		7	5/75
MR9010	3P+N+T	32	500 V		7	5/75



Art. MR9223



Art. MR9523

Technical data page 102 pictures 3

SERIES 11 IEC 309

Fast assembling and cabling connectors low voltage
50/60Hz-IP67

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR9051	2P+T	16	110÷130 V		4	10/150
MR9052	3P+T	16	110÷130 V		4	8/120
MR9053	2P+T	32	110÷130 V		4	4/60
MR9054	3P+T	32	110÷130 V		4	4/60
MR9055	2P+T	63	110÷130 V		4	10/10
MR9056	3P+T	63	110÷130 V		4	10/10

MR8223	2P+T	16	220÷240 V		6	10/150
MR9057	3P+T	16	220÷240 V		9	8/120
MR9069	3P+N+T	16	220÷240 V		9	5/75
MR8523	2P+T	32	220÷240 V		6	4/60
MR9058	3P+T	32	220÷240 V		9	4/60
MR9059	2P+T	63	220÷240 V		6	10/10
MR9060	3P+T	63	220÷240 V		9	10/10

MR8224	3P+T	16	380÷415 V		6	8/120
MR8225	3P+N+T	16	380÷415 V		6	5/75
MR8524	3P+T	32	380÷415 V		6	4/60
MR8525	3P+N+T	32	380÷415 V		6	3/45
MR9061	3P+T	63	380÷415 V		6	10/10
MR9062	3P+N+T	63	380÷415 V		6	10/10
MR8524-3H	3P+T	32	380÷415 V		3	4/60

MR9063	3P+T	16	500 V		7	8/120
MR9064	3P+N+T	16	500 V		7	5/75
MR9065	3P+T	32	500 V		7	4/60
MR9066	3P+N+T	32	500 V		7	3/45
MR9067	3P+T	63	500 V		7	10/10
MR9068	3P+N+T	63	500 V		7	10/10



Art. MR8224



Art. MR8524



Art. MR9062

Technical data page 102-109 pictures 4-76

SERIES 11 IEC 309

Extra-low voltage connectors IP44



Art. MR9011

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9011	2P	50/60	16	24	(20-25)	10/150
MR9012	3P	50/60	16			
MR9013	2P	50/60	16	42	(40-50)	10/150
MR9014	3P	50/60	16			
MR9015	2P	100/200	16	24	(20-25)	10/150
MR9016	3P	100/200	16			
MR9017	2P	401/500	16	42	(40-50)	10/150
MR9018	3P	401/500	16			

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9019	2P	50/60	32	24	(20-25)	10/150
MR9020	3P	50/60	32			
MR9021	2P	50/60	32	42	(40-50)	10/150
MR9022	3P	50/60	32			
MR9023	2P	100/200	32	24	(20-25)	10/150
MR9024	3P	100/200	32			
MR9025	2P	401/500	32	42	(40-50)	10/150
MR9026	3P	401/500	32			

SERIES 11 IEC 309

Extra-low voltage connectors IP67



Art. MR9071

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9071	2P	50/60	16	24	(20-25)	10/150
MR9072	3P	50/60	16			
MR9073	2P	50/60	16	42	(40-50)	10/150
MR9074	3P	50/60	16			
MR9075	2P	100/200	16	24	(20-25)	10/150
MR9076	3P	100/200	16			
MR9077	2P	401/500	16	42	(40-50)	10/150
MR9078	3P	401/500	16			

ARTICLE	POLES	Hz	A	TENSION		PIECES X PACK
MR9079	2P	50/60	32	24	(20-25)	10/150
MR9080	3P	50/60	32			
MR9081	2P	50/60	32	42	(40-50)	10/150
MR9082	3P	50/60	32			
MR9083	2P	100/200	32	24	(20-25)	10/150
MR9084	3P	100/200	32			
MR9085	2P	401/500	32	42	(40-50)	10/150
MR9086	3P	401/500	32			

SERIES 11 IEC 309

Wall sockets angled at 90° 50/60Hz-IP44

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR1201	2P+T	16	110÷130 V	Yellow	4	4/60
MR1203	3P+T	16	110÷130 V	Yellow	4	4/60
MR1207	2P+T	32	110÷130 V	Yellow	4	2/30
MR1208	3P+T	32	110÷130 V	Yellow	4	2/30
MR1209	2P+T	63	110÷130 V	Yellow	4	2/2
MR1210	3P+T	63	110÷130 V	Yellow	4	2/2

MR1202	2P+T	16	220÷240 V	Blue	6	4/60
MR1204	3P+T	16	220÷240 V	Blue	9	4/60
MR1223	3P+N+T	16	220÷240 V	Blue	9	2/30
MR1211	2P+T	32	220÷240 V	Blue	6	2/30
MR1212	3P+T	32	220÷240 V	Blue	9	2/30

MR1205	3P+T	16	380÷415 V	Red	6	4/60
MR1215	3P+N+T	16	380÷415 V	Red	6	2/30
MR1216	3P+T	32	380÷415 V	Red	6	2/30
MR1217	3P+N+T	32	380÷415 V	Red	6	2/30

MR1206	3P+T	16	500 V	Black	7	4/60
MR1220	3P+N+T	16	500 V	Black	7	2/30
MR1221	3P+T	32	500 V	Black	7	2/30
MR1222	3P+N+T	32	500 V	Black	7	2/30



Art. MR1202

Technical data page 102 pictures 7

SERIES 11 IEC 309

Wall sockets angled at 90° 50/60Hz-IP67

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR1251	2P+T	16	110÷130 V	Yellow	4	4/60
MR1253	3P+T	16	110÷130 V	Yellow	4	4/60
MR1257	2P+T	32	110÷130 V	Yellow	4	2/30
MR1258	3P+T	32	110÷130 V	Yellow	4	2/30
MR1259	2P+T	63	110÷130 V	Yellow	4	2/2
MR1260	3P+T	63	110÷130 V	Yellow	4	2/2

MR1252	2P+T	16	220÷240 V	Blue	6	4/60
MR1254	3P+T	16	220÷240 V	Blue	9	4/60
MR1275	3P+N+T	16	220÷240 V	Blue	9	2/30
MR1261	2P+T	32	220÷240 V	Blue	6	2/30
MR1262	3P+T	32	220÷240 V	Blue	9	2/30
MR1263	2P+T	63	220÷240 V	Blue	6	2/2
MR1264	3P+T	63	220÷240 V	Blue	9	2/2

MR1255	3P+T	16	380÷415 V	Red	6	4/60
MR1265	3P+N+T	16	380÷415 V	Red	6	2/30
MR1266	3P+T	32	380÷415 V	Red	6	2/30
MR1267	3P+N+T	32	380÷415 V	Red	6	2/30
MR1268	3P+T	63	380÷415 V	Red	6	2/2
MR1269	3P+N+T	63	380÷415 V	Red	6	2/2

MR1256	3P+T	16	500 V	Black	7	4/60
MR1270	3P+N+T	16	500 V	Black	7	2/30
MR1271	3P+T	32	500 V	Black	7	2/30
MR1272	3P+N+T	32	500 V	Black	7	2/30
MR1273	3P+T	63	500 V	Black	7	2/2
MR1274	3P+N+T	63	500 V	Black	7	2/2



Art. MR1266

Technical data page 102 pictures 8



Art. MR6001Q

SERIES 11 IEC 309

Panel sockets sloping at 10° low voltage. 50/60Hz-IP44

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR 6007Q	2P+T	16	110÷130 V	4	10/150
MR 6008Q	3P+T	16	110÷130 V	4	10/150
MR 6009Q	2P+T	32	110÷130 V	4	5/75
MR 6010Q	3P+T	32	110÷130 V	4	5/75

MR 6001Q	2P+T	16	220÷240 V	6	10/150
MR 6013Q	3P+T	16	220÷240 V	9	10/150
MR 6014Q	3P+N+T	16	220÷240 V	9	
MR 6004Q	2P+T	32	220÷240 V	6	5/75
MR 6015Q	3P+T	32	220÷240 V	9	5/75

MR 6002Q	3P+T	16	380÷415 V	6	10/150
MR 6003Q	3P+N+T	16	380÷415 V	6	8/120
MR 6005Q	3P+T	32	380÷415 V	6	5/75
MR 6006Q	3P+N+T	32	380÷415 V	6	5/75

MR 6020Q	3P+T	16	500 V	7	10/150
MR 6021Q	3P+N+T	16	500 V	7	8/120
MR 6022Q	3P+T	32	500 V	7	5/75
MR 6023Q	3P+N+T	32	500 V	7	5/75

Technical data page 103 pictures 11



Art. MR7001Q



Art. MR7002Q



Art. MR7005Q

SERIES 11 IEC 309

Panel sockets sloping at 10° low voltage. 50/60Hz-IP67

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR 7007Q	2P+T	16	110÷130 V	4	10/150
MR 7008Q	3P+T	16	110÷130 V	4	8/120
MR 7009Q	2P+T	32	110÷130 V	4	8/120
MR 7010Q	3P+T	32	110÷130 V	4	5/75
MR 7011Q	2P+T	63	110÷130 V	4	5/5
MR 7012Q	3P+T	63	110÷130 V	4	5/5

MR 7001Q	2P+T	16	220÷240 V	6	10/150
MR 7013Q	3P+T	16	220÷240 V	9	8/120
MR 7014Q	3P+N+T	16	220÷240 V	9	8/120
MR 7004Q	2P+T	32	220÷240 V	6	5/75
MR 7015Q	3P+T	32	220÷240 V	9	5/75
MR 7016Q	2P+T	63	220÷240 V	6	5/5
MR 7017Q	3P+T	63	220÷240 V	9	5/5

MR 7002Q	3P+T	16	380÷415 V	6	8/120
MR 7003Q	3P+N+T	16	380÷415 V	6	8/120
MR 7005Q	3P+T	32	380÷415 V	6	5/75
MR 7006Q	3P+N+T	32	380÷415 V	6	5/75
MR 7018Q	3P+T	63	380÷415 V	6	5/5
MR 7019Q	3P+N+T	63	380÷415 V	6	5/5
MR 7005Q-3H	3P+T	32	380÷415 V	3	5/75

MR 7020Q	3P+T	16	500 V	7	8/120
MR 7021Q	3P+N+T	16	500 V	7	8/120
MR 7022Q	3P+T	32	500 V	7	5/75
MR 7023Q	3P+N+T	32	500 V	7	5/75
MR 7024Q	3P+T	63	500 V	7	5/5
MR 7025Q	3P+N+T	63	500 V	7	5/5

Technical data page 103 pictures 12

SERIES 11 IEC 309

Straight panel sockets extra-low voltage. IP44

ARTICLE	POLES	Hz	A	TENSION		PIECES/RACK
MR6026Q	2P	50/60	16	24 (20-25)		10/150
MR6027Q	3P	50/60	16			10/150
MR6028Q	2P	50/60	16	42 (40-50)		10/150
MR6029Q	3P	50/60	16			10/150
MR6030Q	2P	100/200	16	24 (20-25)		10/150
MR6031Q	3P	100/200	16			10/150
MR6032Q	2P	401/500	16	42 (40-50)		10/150
MR6033Q	3P	401/500	16			10/150

ARTICLE	POLES	Hz	A	TENSION		PIECES/RACK
MR6034Q	2P	50/60	32	24 (20-25)		10/150
MR6035Q	3P	50/60	32			10/150
MR6036Q	2P	50/60	32	42 (40-50)		10/150
MR6037Q	3P	50/60	32			10/150
MR6038Q	2P	100/200	32	24 (20-25)		10/150
MR6039Q	3P	100/200	32			10/150
MR6040Q	2P	401/500	32	42 (40-50)		10/150
MR6041Q	3P	401/500	32			10/150



Art. MR6026Q

SERIES 11 IEC 309

Straight panel sockets extra-low voltage. IP67

ARTICLE	POLES	Hz	A	TENSION		PIECES/RACK
MR7026Q	2P	50/60	16	24 (20-25)		10/150
MR7027Q	3P	50/60	16			10/150
MR7028Q	2P	50/60	16	42 (40-50)		10/150
MR7029Q	3P	50/60	16			10/150
MR7030Q	2P	100/200	16	24 (20-25)		10/150
MR7031Q	3P	100/200	16			10/150
MR7032Q	2P	401/500	16	42 (40-50)		10/150
MR7033Q	3P	401/500	16			10/150

ARTICLE	POLES	Hz	A	TENSION		PIECES/RACK
MR7034Q	2P	50/60	32	24 (20-25)		10/150
MR7035Q	3P	50/60	32			10/150
MR7036Q	2P	50/60	32	42 (40-50)		10/150
MR7037Q	3P	50/60	32			10/150
MR7038Q	2P	100/200	32	24 (20-25)		10/150
MR7039Q	3P	100/200	32			10/150
MR7040Q	2P	401/500	32	42 (40-50)		10/150
MR7041Q	3P	401/500	32			10/150



Art. MR7026Q



Art. MR1305

SERIES 11 IEC 309

Flanged straight panel sockets low voltage IP44

ARTICLE	POLES	A	TENSION	H	PECES X PACK
MR 1301	2P+T	16	110+130 V	4	10/150
MR 1303	3P+T	16	110÷130 V	4	10/150
MR 1307	2P+T	32	110÷130 V	4	5/75
MR 1308	3P+T	32	110÷130 V	4	5/75

MR 1302	2P+T	16	220÷240 V	6	10/150
MR 1304	3P+T	16	220÷240 V	9	10/150
MR 1311	2P+T	32	220÷240 V	6	5/75
MR 1312	3P+T	32	220÷240 V	9	5/75

MR 1305	3P+T	16	380÷415 V	6	10/150
MR 1315	3P+N+T	16	380÷415 V	6	8/120
MR 1316	3P+T	32	380÷415 V	6	5/75
MR 1317	3P+N+T	32	380÷415 V	6	5/75

MR 1306	3P+T	16	500 V	7	10/150
MR 1320	3P+N+T	16	500 V	7	8/120
MR 1321	3P+T	32	500 V	7	5/75
MR 1322	3P+N+T	32	500 V	7	5/75

Technical data page 103 pictures 9



Art. MR1352



Art. MR1366

SERIES 11 IEC 309

Flanged straight panel sockets low voltage IP67

ARTICLE	POLES	A	TENSION	H	PECES X PACK
MR 1351	2P+T	16	110+130 V	4	10/150
MR 1353	3P+T	16	110÷130 V	4	8/120
MR 1357	2P+T	32	110÷130 V	4	8/120
MR 1358	3P+T	32	110÷130 V	4	5/75
MR 1359	2P+T	63	110÷130 V	4	5/5
MR 1360	3P+T	63	110÷130 V	4	5/5

MR 1352	2P+T	16	220÷240 V	6	8/120
MR 1354	3P+T	16	220÷240 V	9	8/120
MR 1361	2P+T	32	220÷240 V	6	4/60
MR 1362	3P+T	32	220÷240 V	9	4/60
MR 1363	2P+T	63	220÷240 V	6	5/5
MR 1364	3P+T	63	220÷240 V	9	5/5

MR 1355	3P+T	16	380÷415 V	6	8/120
MR 1365	3P+N+T	16	380÷415 V	6	8/120
MR 1366	3P+T	32	380÷415 V	6	5/75
MR 1367	3P+N+T	32	380÷415 V	6	5/75
MR 1368	3P+T	63	380÷415 V	6	5/5
MR 1369	3P+N+T	63	380÷415 V	6	5/5
MR 1366-3h	3P+T	32	380÷415 V	3	5/75

MR 1356	3P+T	16	500 V	7	8/120
MR 1370	3P+N+T	16	500 V	7	8/120
MR 1371	3P+T	32	500 V	7	5/75
MR 1372	3P+N+T	32	500 V	7	5/75
MR 1373	3P+T	63	500 V	7	5/5
MR 1374	3P+N+T	63	500 V	7	5/5

Technical data page 103 pictures 10

SERIES 11 IEC 309

Straight panel socket with flange 55x55, low voltage. IP44

ITEM	POLES	A	TENSION		H	PIECES X PACK
MR1301S	2P+T	16	110÷130	Yellow	4	10/150
MR1303S	3P+T	16	110÷130	Yellow	4	10/150
MR1302S	2P+T	16	200÷250	Blue	6	10/150
MR1304S	3P+T	16	200÷250	Blue	9	10/150
MR1305S	3P+T	16	380÷415	Red	6	10/150
MR1306S	3P+T	16	500V	Black	7	10/150



Art. MR1302S

Technical data page 110 pictures 82

SERIES 11 IEC 309

Straight panel socket with flange 55x55, low voltage. IP67

ITEM	POLES	A	TENSION		H	PIECES X PACK
MR1351S	2P+T	16	110÷130	Yellow	4	10/150
MR1353S	3P+T	16	110÷130	Yellow	4	10/150
MR1352S	2P+T	16	200÷250	Blue	6	10/150
MR1354S	3P+T	16	200÷250	Blue	9	10/150
MR1355S	3P+T	16	380÷415	Red	6	10/150
MR1356S	3P+T	16	500V	Black	7	10/150



Art. MR1355S

Technical data page 110 pictures 82



Art. MR2502



Art. MR2517

Technical data page 104 pictures 17

SERIES 11 IEC 309

Wall socket sloping 90° low voltage. 50/60Hz-IP44

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR2501	2P+T	16	110+130 V	4	3/45
MR2503	3P+T	16	110+130 V	4	3/45
MR2507	2P+T	32	110+130 V	4	2/30
MR2508	3P+T	32	110+130 V	4	2/30

MR2502	2P+T	16	220+240 V	6	3/45
MR2504	3P+T	16	220+240 V	9	3/45
MR2511	2P+T	32	220+240 V	6	2/30
MR2512	3P+T	32	220+240 V	9	2/30

MR2505	3P+T	16	380+415 V	6	3/45
MR2515	3P+N+T	16	380+415 V	6	3/45
MR2516	3P+T	32	380+415 V	6	2/30
MR2517	3P+N+T	32	380+415 V	6	2/30

MR2506	3P+T	16	500V	7	3/45
MR2520	3P+N+T	16	500V	7	3/45
MR2521	3P+T	32	500V	7	2/30
MR2522	3P+N+T	32	500V	7	2/30

SERIES 11 IEC 309

Wall socket sloping 90° low voltage. 50/60Hz-IP67

ARTICLE	POLES	A	TENSION	H	PIECES X PACK
MR2551	2P+T	16	110+130 V	4	3/45
MR2553	3P+T	16	110+130 V	4	3/45
MR2557	2P+T	32	110+130 V	4	2/30
MR2558	3P+T	32	110+130 V	4	2/30

MR2552	2P+T	16	220+240 V	6	3/45
MR2554	3P+T	16	220+240 V	9	3/45
MR2561	2P+T	32	220+240 V	6	2/30
MR2562	3P+T	32	220+240 V	9	2/30

MR2555	3P+T	16	380+415 V	6	3/45
MR2565	3P+N+T	16	380+415 V	6	3/45
MR2566	3P+T	32	380+415 V	6	2/30
MR2567	3P+N+T	32	380+415 V	6	2/30
MR2568	3P+T	32	380+415 V	3	2/30

MR2556	3P+T	16	500 V	7	3/45
MR2570	3P+N+T	16	500 V	7	3/50
MR2571	3P+T	32	500 V	7	2/30
MR2572	3P+N+T	32	500 V	7	2/30



Art. MR2555



Art. MR2567

Technical data page 104 pictures 17

SERIES 11 IEC 309

Wall socket sloping 10° low voltage. 50/60Hz-IP44

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR11.1401	2P+T	16	110+130 V	Yellow	4	5/50
MR11.1403	3P+T	16	110+130 V	Yellow	4	5/50
MR11.1407	2P+T	32	110+130 V	Yellow	4	5/50
MR11.1408	3P+T	32	110+130 V	Yellow	4	5/50

MR11.1402	2P+T	16	220+240 V	Blue	6	5/50
MR11.1404	3P+T	16	220+240 V	Blue	9	5/50
MR11.1411	2P+T	32	220+240 V	Blue	6	5/50
MR11.1412	3P+T	32	220+240 V	Blue	9	5/50

MR11.1405	3P+T	16	380+415 V	Red	6	5/50
MR11.1415	3P+N+T	16	380+415 V	Red	6	5/50
MR11.1416	3P+T	32	380+415 V	Red	6	5/50
MR11.1417	3P+N+T	32	380+415 V	Red	6	5/50

MR11.1406	3P+T	16	500 V	Black	7	5/50
MR11.1420	3P+N+T	16	500 V	Black	7	5/50
MR11.1421	3P+T	32	500 V	Black	7	5/50
MR11.1422	3P+N+T	32	500 V	Black	7	5/50



Art. MR11.1402

SERIES 11 IEC 309

Wall socket sloping 10° low voltage. 50/60Hz-IP67

ARTICLE	POLES	A	TENSION		H	PIECES X PACK
MR11.1451	2P+T	16	110+130 V	Yellow	4	5/50
MR11.1453	3P+T	16	110+130 V	Yellow	4	5/50
MR11.1457	2P+T	32	110+130 V	Yellow	4	5/50
MR11.1458	3P+T	32	110+130 V	Yellow	4	5/50

MR11.1452	2P+T	16	220+240 V	Blue	6	5/50
MR11.1454	3P+T	16	220+240 V	Blue	9	5/50
MR11.1461	2P+T	32	220+240 V	Blue	6	5/50
MR11.1462	3P+T	32	220+240 V	Blue	9	5/50

MR11.1455	3P+T	16	380+415 V	Red	6	5/50
MR11.1465	3P+N+T	16	380+415 V	Red	6	5/50
MR11.1466	3P+T	32	380+415 V	Red	6	5/50
MR11.1467	3P+N+T	32	380+415 V	Red	6	5/50

MR11.1456	3P+T	16	500 V	Black	7	5/50
MR11.1470	3P+N+T	16	500 V	Black	7	5/50
MR11.1471	3P+T	32	500 V	Black	7	5/50
MR11.1472	3P+N+T	32	500 V	Black	7	5/50



Art. MR11.1466

FLANGED PLUGS

Flanged plug IP44 or IP67



Art. MR1102

ARTICOLO ARTICLE	POLI POLES		A	TENSIONE TENSION		H	PZ X IMBAL PIECES X PACK
MR1101	2P+T	IP44	16	220÷240 V		6	10/100
MR1102	2P+T	IP67	16	220÷240 V		6	10/100
MR1103	3P+T	IP44	16	380÷415 V		6	10/100
MR1104	3P+T	IP67	16	380÷415 V		6	10/100

Technical data page 103 pictures 15-16

SERIES M

Isolation and transformer. Box in thermoplastic, colour grey, collision and pollution resistant. Fusibles protection either in entrance or exit IP44.



Art. M24V

Prese Socket	Potenza VA Power VA	Descrizione Description	Codice Code
2	150	Trasformatore 220/24V Transformer 220/24V	M24V

Technical data page 105 pictures 32
(On demand are available different exit tension)

CEE PLUGS



Art. LUNA N



Art. SPVAN B

Art. SPVAN-MT

ARTICOLO ARTICLE	DESCRIZIONE DESCRIPTION	PZ X IMBAL PIECES X PACK
LUNA B	Spina da incasso per caravan 16A 2P+T 220V IP44	30/60
LUNA N	Spina da incasso per caravan 16A 2P+T 220V IP44	30/60
SPVAN B	Spina da incasso per caravan basculante 16A 2P+T 220V IP44	30/70
SPVAN N	Spina da incasso per caravan basculante 16A 2P+T 220V IP44	30/70
SPVAN-MT	Spina da incasso per caravan basculante 16A 2P+T 220V IP44 con int. automatico 1P+N	15/30
SPVAN-MTD	Spina da incasso per caravan basculante 16A 2P+T 220V IP44 con int. aut. diff. 16A 1P+N 4,5kA	15/30
SPVAN-MTS	Spina da incasso per caravan basculante 16A 2P+T 220V IP44 con int. automatico 1P+N e 2 prese schuko	15/30
SPVAN-MTDS	Spina da incasso per caravan basculante 16A 2P+T 220V IP44 con int. aut. diff. 16A 1P+N 4,5kA e 2 prese schuko	15/30

Technical data page 104 pictures 18-19

ARTICOLO ARTICLE	DESCRIZIONE DESCRIPTION	TENSIONE TENSION	PZ X IMBAL PIECES X PACK
9213N	Spina CEE mobile 2P+T Ip44 16A colore nero	220÷240 V	10/150
9223N	Presca mobile 2P+T Ip44 16A	220÷240 V	10/150
BIPLA16	Derivazione a 2 uscite+spina con 0,33 mt. di cavo per parte	220÷240 V	1/10
BIPLA32	Derivazione a 2 uscite 16A + spina 32 A con 0,33 mt. di cavo per parte	220÷240 V	1/10
M52	Ciabatta di derivazione in alluminio con 5 prese in uscita 16 A 2P+T	220÷240 V	1/10
M323	Ciabatta di derivazione in alluminio con 3 prese in uscita 32 A 2P+T	220÷240 V	1/10
1302SN	Presca da incasso diritta con flangia 55x55	220÷240 V	10/150



Art. 9213N



Art. 9223N



Art. BIPLA



Art. M52



Art. M323



Art. 1302SN



Art. MR1602



Art. MR1605

Technical data page 104 pictures 20

SERIES 12 IEC 309

2 Ways adaptors with plug 16A 50/60Hz IP44

ARTICLE	POLES	A	TENSION		PIECES X PACK
MR 1601	2P+T	16	110+130 V	Yellow	4
MR 1603	3P+T	16	110+130 V	Yellow	4
MR 1602	2P+T	16	220+240 V	Blue	4
MR 1604	3P+T	16	220+240 V	Blue	4
MR 1605	3P+T	16	380+415 V	Red	4
MR 1606	3P+T	16	500 V	Black	4



Art. MR1702

Technical data page 104 pictures 21

SERIES 12 IEC 309

2 Ways adaptors with 2mt flexible cable and plug 16A 50/60Hz-IP44

ARTICLE	POLES	A	TENSION		PIECES X PACK
MR 1701	2P+T	16	110+130 V	Yellow	2
MR 1703	3P+T	16	110+130 V	Yellow	2
MR 1702	2P+T	16	220+240 V	Blue	2
MR 1704	3P+T	16	220+240 V	Blue	2
MR 1705	3P+T	16	380+415 V	Red	2
MR 1706	3P+T	16	500 V	Black	2

SERIES 12 IEC 309

2 Ways adaptors with plug 16A 50/60Hz IP67

ARTICLE	POLES	A	TENSION		PIECES X PACK
MR 1651	2P+T	16	110+130 V	Yellow	4
MR 1653	3P+T	16	110+130 V	Yellow	4
MR 1652	2P+T	16	220÷240 V	Blue	4
MR 1654	3P+T	16	220÷240 V	Blue	4
MR 1655	3P+T	16	380÷415 V	Red	4
MR 1656	3P+T	16	500 V	Black	4



Art. MR1655

Technical data page 104 pictures 22

SERIES 12 IEC 309

2 Ways adaptors with 2 mt flexible cable and plug 16A 50/60Hz-

ARTICLE	POLES	A	TENSION		PIECES X PACK
MR 1751	2P+T	16	110+130 V	Yellow	2
MR 1753	3P+T	16	110+130 V	Yellow	2
MR 1752	2P+T	16	220÷240 V	Blue	2
MR 1754	3P+T	16	220÷240 V	Blue	2
MR 1755	3P+T	16	380÷415 V	Red	2
MR 1756	3P+T	16	500 V	Black	2



Art. MR1755

Technical data page 104 pictures 23



Art. MR1802



Art. MR1804

Technical data page 104 pictures 24

SERIES 12 COM

2 Ways adaptors with plug 16A 2P+T 50/60Hz IP44

ITEM	A	POLES	TENSION	PIECES X PACK	
Moltiplicatore a 2 vie CEE con 1 presa SCHUKO inc. e 1 CEE 2 ways adaptors with 1 socket SCHUKO annexed and 1 CEE	MR1801	16	2P+T	110-130 V	4
Moltiplicatore a 2 vie CEE con 1 presa GB e 1 CEE 2 ways adaptors CEE with 1 socket GB and 1 CEE	MR1803	16	2P+T	200-250 V	4
Moltiplicatore a 2 vie CEE con 1 presa SCHUKO/BIVALENTE inc. e 1 CEE 2 ways adaptors CEE with 2 SCHUKO/BIVALENT annexed socket and 1 CEE	MR1802	16	2P+T	200-250 V	4
Moltiplicatore a 2 vie CEE con 1 presa BIVALENTE inc. e 1 CEE 2 ways adaptors CEE with 2 BIVALENT annexed socket and 1 CEE	MR1804	16	2P+T	200-250 V	4



Art. MR1808

Technical data page 105 pictures 25

SERIES 12 COM

2 Ways adaptors with 2 mt of cable and plug 16A 2P+T 50/60Hz IP44

ITEM	A	POLES	TENSION	PIECES X PACK	
Moltiplicatore a 2 vie CEE con 1 presa SCHUKO inc. e 1 CEE + 2 mt di cavo in entrata 2 ways adaptors with 1 socket SCHUKO annexed and 1 CEE + 2 mt of entrance cable	MR1805	16	2P+T	110-130 V	2
Moltiplicatore a 2 vie CEE con 1 presa GB e 1 CEE + 2 mt di cavo in entrata 2 ways adaptors CEE with 1 socket GB and 1 CEE + 2 mt of entrance cable	MR1806	16	2P+T	200-250 V	2
Moltiplicatore a 2 vie CEE con 1 presa SCHUKO/BIVALENTE inc. e 1 CEE + 2 mt di cavo in entrata 2 ways adaptors CEE with 2 SCHUKO/BIVALENT annexed socket and 1 CEE + 2 mt of entrance cable	MR1807	16	2P+T	200-250 V	2
Moltiplicatore a 2 vie CEE con 1 presa BIVALENTE inc. e 1 CEE + 2 mt di cavo in entrata 2 ways adaptors CEE with 2 BIVALENT annexed socket and 1 CEE + 2 mt of entrance cable	MR1808	16	2P+T	200-250 V	2



Art. MR1994

Technical data page 104 pictures 20

SERIES 12 COM

2 Ways adaptors with plug 16A 3P+N+T 50/60Hz IP44

ITEM	PLUG	SOCKET	PIECES X PACK
MR1994	5P	1 PR. 3P+T 380V + 1 PR. 2P+T 220V	4
MR1995	5P	2 PR. 2P+T 220V	4
MR1996	5P	2 PR. 3P+T 380V	4

SERIES 12 COM

2 Ways adaptors with 2 mt of flexible cable and plug 16A 3P+N+T Ip44

ARTICLE	PLUG	SOCKET	PEZZI/BOX
MR1997	5P	1PR. 3P+T 380V + 1 PR. 2P+T 220V	2
MR1998	5P	2PR. 2P+T 220V	2
MR1999	5P	2PR. 3P+T 380V	2



Art. MR1997

Technical data page 104 pictures 21

SERIES 12 COM

2 Ways adaptors with plug 16A 3P+N+T IP67

ARTICLE	PLUG	SOCKET	PEZZI/BOX
MR2000	5P	1PR. 3P+T 380V + 1 PR. 2P+T 220V	4
MR2001	5P	2PR. 2P+T 220V	4
MR2002	5P	2PR. 3P+T 380V	4



Art. MR2000

Technical data page 104 pictures 22

SERIES 12 COM

2 Ways adaptors with 2 mt of flexible cable and plug 16A 3P+N+T IP67

ARTICLE	PLUG	SOCKET	PEZZI/BOX
MR2003	5P	1PR. 3P+T 380V + 1 PR. 2P+T 220V	2
MR2004	5P	2PR. 2P+T 220V	2
MR2005	5P	2PR. 3P+T 380V	2



Art. MR2003

Technical data page 104 pictures 23



Art. MR1402

Technical data page 105 pictures 26

SERIES 13 IEC 309

3 Ways adaptors with plug IP44

ARTICLE	POLES	A	TENSION		PEZES X PACK
MR1401	2P+T	16	110÷130 V	Yellow	2
MR1403	3P+T	16	110÷130 V	Yellow	2
MR1409	3P+N+T	16	110÷130 V	Yellow	2
MR1407	2P+T	32	110÷130 V	Yellow	4
MR1408	3P+T	32	110÷130 V	Yellow	4
MR1410	3P+N+T	32	110÷130 V	Yellow	4

MR1402	2P+T	16	220÷240 V	Blue	2
MR1404	3P+T	16	220÷240 V	Blue	2
MR1413	3P+N+T	16	220÷240 V	Blue	2
MR1411	2P+T	32	220÷240 V	Blue	4
MR1412	3P+T	32	220÷240 V	Blue	4
MR1414	3P+N+T	32	220÷240 V	Blue	4

MR1405	3P+T	16	380÷415 V	Red	2
MR1415	3P+N+T	16	380÷415 V	Red	2
MR1416	3P+T	32	380÷415 V	Red	4
MR1417	3P+N+T	32	380÷415 V	Red	4

MR1406	3P+T	16	500 V	Black	2
MR1418	3P+N+T	16	500 V	Black	2
MR1419	3P+T	32	500 V	Black	4
MR1420	3P+N+T	32	500 V	Black	4



Art. MR1505

Technical data page 105 pictures 27

SERIES 13 IEC 309

3 Ways adaptors with 2mt flexible cable and plug IP44

ARTICLE	POLES	A	TENSION		PEZES X PACK
MR1501	2P+T	16	110÷130 V	Yellow	1
MR1503	3P+T	16	110÷130 V	Yellow	1
MR1509	3P+N+T	16	110÷130 V	Yellow	1
MR1507	2P+T	32	110÷130 V	Yellow	1
MR1508	3P+T	32	110÷130 V	Yellow	1
MR1510	3P+N+T	32	110÷130 V	Yellow	1

MR1502	2P+T	16	220÷240 V	Blue	1
MR1504	3P+T	16	220÷240 V	Blue	1
MR1513	3P+N+T	16	220÷240 V	Blue	1
MR1511	2P+T	32	220÷240 V	Blue	1
MR1512	3P+T	32	220÷240 V	Blue	1
MR1514	3P+N+T	32	220÷240 V	Blue	1

MR1505	3P+T	16	380÷415 V	Red	1
MR1515	3P+N+T	16	380÷415 V	Red	1
MR1516	3P+T	32	380÷415 V	Red	1
MR1517	3P+N+T	32	380÷415 V	Red	1

MR1506	3P+T	16	500 V	Black	1
MR1518	3P+N+T	16	500 V	Black	1
MR1519	3P+T	32	500 V	Black	1
MR1520	3P+N+T	32	500 V	Black	1

SERIES 13 IEC 309

3 Ways adaptors with plug IP67

ARTICLE	POLES	A	TENSION		PECES X PACK
MR1451	2P+T	16	110÷130 V	Yellow	2
MR1453	3P+T	16	110÷130 V	Yellow	2
MR1459	3P+N+T	16	110÷130 V	Yellow	2
MR1457	2P+T	32	110÷130 V	Yellow	4
MR1458	3P+T	32	110÷130 V	Yellow	4
MR1460	3P+N+T	32	110÷130 V	Yellow	4
MR1452	2P+T	16	220÷240 V	Blue	2
MR1454	3P+T	16	220÷240 V	Blue	2
MR1463	3P+N+T	16	220÷240 V	Blue	2
MR1461	2P+T	32	220÷240 V	Blue	4
MR1462	3P+T	32	220÷240 V	Blue	4
MR1464	3P+N+T	32	220÷240 V	Blue	4
MR1455	3P+T	16	380÷415 V	Red	2
MR1465	3P+N+T	16	380÷415 V	Red	2
MR1466	3P+T	32	380÷415 V	Red	4
MR1467	3P+N+T	32	380÷415 V	Red	4
MR1456	3P+T	16	500 V	Black	2
MR1468	3P+N+T	16	500 V	Black	2
MR1469	3P+T	32	500 V	Black	4
MR1470	3P+N+T	32	500 V	Black	4



Art. MR1452

Technical data page 105 pictures 28

SERIES 13 IEC 309

3 Ways adaptors with 2 mt of flexible cable and plug IP67

ARTICLE	POLES	A	TENSION		PECES X PACK
MR1551	2P+T	16	110÷130 V	Yellow	1
MR1553	3P+T	16	110÷130 V	Yellow	1
MR1559	3P+N+T	16	110÷130 V	Yellow	1
MR1557	2P+T	32	110÷130 V	Yellow	1
MR1558	3P+T	32	110÷130 V	Yellow	1
MR1560	3P+N+T	32	110÷130 V	Yellow	1
MR1552	2P+T	16	220÷240 V	Blue	1
MR1554	3P+T	16	220÷240 V	Blue	1
MR1563	3P+N+T	16	220÷240 V	Blue	1
MR1561	2P+T	32	220÷240 V	Blue	1
MR1562	3P+T	32	220÷240 V	Blue	1
MR1564	3P+N+T	32	220÷240 V	Blue	1
MR1555	3P+T	16	380÷415 V	Red	1
MR1565	3P+N+T	16	380÷415 V	Red	1
MR1566	3P+T	32	380÷415 V	Red	1
MR1567	3P+N+T	32	380÷415 V	Red	1
MR1556	3P+T	16	500 V	Black	1
MR1568	3P+N+T	16	500 V	Black	1
MR1569	3P+T	32	500 V	Black	1
MR1570	3P+N+T	32	500 V	Black	1



Art. MR1552



Art. MR1566

Technical data page 105 pictures 29

*H07RN-F flexible cable



Art. MR1842

Technical data page 105 pictures 30

SERIES 13 COM

3 Ways adaptors with plug 16A 2P+T 50/60Hz IP44

ITEM	A	POLES	TENSION	PIECES X PACK
Moltiplicatore a 3 vie CEE con 1 presa SCHUKO inc. e 1 CEE 3 ways adaptors with 1 socket SCHUKO annexed and 1 CEE				
MR1841	16	2P+T	110-130 V	2
Moltiplicatore a 3 vie CEE con 1 presa GB e 1 CEE 3 ways adaptors CEE with 1 socket GB and 1 CEE				
MR1843	16	2P+T	200-250 V	2
Moltiplicatore a 3 vie CEE con 1 presa SCHUKO/BIVALENTE inc. e 1 CEE 3 ways adaptors CEE with 2 SCHUKO/BIVALENTE annexed socket and 1 CEE				
MR1842	16	2P+T	200-250 V	2
Moltiplicatore a 3 vie CEE con 1 presa BIVALENTE inc. e 1 CEE 3 ways adaptors CEE with 2 BIVALENTE annexed socket and 1 CEE				
MR1844	16	2P+T	200-250 V	2



Art. MR1847

Technical data page 105 pictures 31

SERIES 13 COM

3 Ways adaptors with 2 mt flexible cable* and plug 16A 2P+T 50/60Hz IP44

ITEM	A	POLES	TENSION	PIECES X PACK
Moltiplicatore a 3 vie CEE con 1 presa SCHUKO inc. e 1 CEE + 2 mt di cavo in entrata 3 ways adaptors with 1 socket SCHUKO annexed and 1 CEE + 2 mt of entrance cable				
MR1845	16	2P+T	110-130 V	2
Moltiplicatore a 3 vie CEE con 1 presa GB e 1 CEE + 2 mt di cavo in entrata 3 ways adaptors CEE with 1 socket GB and 1 CEE + 2 mt of entrance cable				
MR1846	16	2P+T	200-250 V	2
Moltiplicatore a 3 vie CEE con 1 presa SCHUKO/BIVALENTE inc. e 1 CEE + 2 mt di cavo in entrata 3 ways adaptors CEE with 2 SCHUKO/BIVALENTE annexed socket and 1 CEE + 2 mt of entrance cable				
MR1847	16	2P+T	200-250 V	2
Moltiplicatore a 3 vie CEE con 1 presa BIVALENTE inc. e 1 CEE + 2 mt di cavo in entrata 3 ways adaptors CEE with 2 BIVALENTE annexed socket and 1 CEE + 2 mt of entrance cable				
MR1848	16	2P+T	200-250 V	2



Art. MR1857

Technical data page 105 pictures 26

SERIES 13 IEC COM

3 Ways adaptors with plug 16A3P+N+T 50/60Hz IP44

ITEM	PLUG	SOCKET	PIECES X PACK
MR1857	5P	2 PR. 3P+T 220V + 1 PR. 2P+T 380V	2
MR1858	5P	3 PR. 2P+T 220V	2
MR1859	5P	3 PR. 3P+T 380V	2
MR1860	5P	2 PR. 3P+T 380V + 1 PR. 2P+T 220V	2



Art. MR1993

Technical data page 105 pictures 27

SERIES 13 IEC COM

3 Ways adaptors with 2 mt flexible cable and plug 16A3 P+N+T 50/60Hz IP44

ITEM	PLUG	SOCKET	PIECES X PACK
MR1990	5P	2 PR. 3P+T 220V + 1 PR. 2P+T 380V	1
MR1991	5P	3 PR. 2P+T 220V	1
MR1992	5P	3 PR. 3P+T 380V	1
MR1993	5P	2 PR. 3P+T 380V + 1 PR. 2P+T 220V	1

SERIES 13 IEC 309

3 Ways adaptors with plug 16A 3P+N+T 50/60Hz IP67

ARTICLE	PLUGS	SOCKET	PECES X PACK
MR1849	5P	2 PR. 220V + 1 PR. 380V	2
MR1851	5P	3 PR. 220V	2
MR1853	5P	3 PR. 380V	2
MR1854	5P	2 PR. 380V + 1 PR. 220V	2



Art. MR1854

Technical data page 105 pictures 28

SERIES 13 IEC 309

3 Ways adaptors with 2 mt flexible cable and plug 16A 3P+N+T 50/60Hz IP67

ARTICLE	PLUGS	SOCKET	PECES X PACK
MR1850	5P	2 PR. 220V + 1 PR. 380V	1
MR1852	5P	3 PR. 220V	1
MR1855	5P	3 PR. 380V	1
MR1856	5P	2 PR. 380V + 1 PR. 220V	1



Art. MR1850

Technical data page 105 pictures 29

SERIES 13 IEC 309

2 or 4 ways adaptors with flexible cable* and plug

ARTICLE	SOCKET				
	2P+T IP44	3P+T IP44	10-16 BIVALENTE	2P+T IP67	3P+T IP67
MRM22	2				
MRM23		2			
MRM22B	1		1		
MRM22S				2	
MRM23S					2
MRM42	4				
MRM43		4			
MRM42B	3	1			
MRM43B	2	2			



Art. MRM42

Technical data page 105 pictures 32



Art. MR1864



Art. MR1862



Art. MR1869



Art. MR1873



Art. MR1861



Art. MR1868



Art. MR1876



**PRODOTTO UNICO
SUL MERCATO
Art. MR1879**

ITEM	DESCRIPTION	TENSION	PIECES X PACK
MR1861	Spina CEE - presa GB 13A CEE Plug - GB socket 13A	200-250 V	10/150
MR1862	Spina CEE - presa Schuko bipasso CEE Plug - Schuko socket	200-250 V	10/150
MR1864	Spina CEE - 2 prese bipasso CEE Plug - 2 sockets bivalent	200-250 V	10/150
MR1866	Spina CEE - presa Schuko 10A / 16A CEE Plug - Schuko socket 10A / 16A	200-250 V	10/150
MR1868	Spina Schuko - presa CEE 2P+T Schuko Plug - socket CEE 2P+T	200-250 V	10/150
MR1869	Spina a pettine 16A - presa CEE Plug comb 16A - CEE socket	200-250 V	10/150
MR1870	Spina CEE - presa South Africa CEE Plug - South Africa socket	200-250 V	10/150
MR1871	Spina South Africa - presa CEE South Africa Plug - CEE socket	200-250 V	10/150
MR1872	Spina CEE 3P+N+T - presa Schuko CEE Plug 3P+N+T - schuko socket	200-250 V	10/150
MR1873	Spina CEE 3P+N+T - presa doppia bipasso CEE Plug 3P+N+T - double socket bipolar	200-250 V	10/150
MR1876	Spina CEE - presa Schuko francese CEE Plug - France Schuko socket	200-250 V	10/150
MR1879	Spina CEE - 3 prese Schuko bivalenti CEE plug - 3 Schuko bivalent socket	200-250 V	10/150