



METAL CLAD



MASTER GUARD



ISOLATOR



SECURAA



# ISOLATOR



**Isolators** provide the means to safely disconnect any electrical equipment from the power supply. MAXIMUS isolators are primarily designed to provide a means of local disconnection when any electrical item may need maintenance or repair, an isolator (or switch disconnecter) has to comply with the following minimum requirements:-

- ◆ Provide an effective clearance between the supply and the load appropriate to the voltage applied.
- ◆ Provide a means of locking in the 'Off' position. (Padlocking)
- ◆ Provide a true indication of the contact state.
- ◆ Provide a safe disconnection from the supply even under fault conditions.
- ◆ Provide for enclosure which is IP 65 to house isolating switch inside for high degree of protection.

MAXIMUS (Isolators) meet, and often exceed, the above requirements. Isolator Product range are manufactured as per IEC 60947 – 3.

### Product Range:

Surface mounting range is having self extinguishing ABS engineering plastic enclosure with IP 65 protection and has Isolating switch with rated current for 20 A / 35 A / 55 A / 63 A.

Have provisions for cable entry from Top / Bottom / Rear side.

### Dimensions in mm:

Height 165, Width 80, Depth 68



Product Code	Ampere Rating / Poles		Voltage	Utilization Category
MSSD202	20A	2 Poles	440	AC 23
MSSD203	20A	3 Poles	440	AC 23
MSSD204	20A	4 Poles	440	AC 23
MSSD352	30A	2 Poles	440	AC 23
MSSD353	30A	3 Poles	440	AC 23
MSSD354	30A	4 Poles	440	AC 23
MSSD552	55A	2 Poles	440	AC 23
MSSD553	55A	3 Poles	440	AC 23
MSSD554	55A	4 Poles	440	AC 23
MSSD632	63A	2 Poles	440	AC 23
MSSD633	63A	3 Poles	440	AC 23
MSSD634	63A	4 Poles	440	AC 23

# METALCLAD



10Amp 1 Gang 1 Way Switch  
MXMC211



10Amp 2 Gang 1 Way Switch  
MXMC213



10Amp 3 Gang 1 Way Switch  
MXMC215



13Amp Double Switch Socket  
MXMC231



13Amp Single Switch Socket  
MXMC230



15Amp Switch Socket  
MXMC237



10Amp 4 Gang 1 Way Switch  
MXMC217



Bell Switch  
MXMC221



10Amp 6 Gang 1 Way Switch  
MXMC219



20Amp DP Switch With Neon  
MXMC222



45Amp DP Switch With Neon  
MXMC224



Lamp Dimmer 500w  
MXMC251



Tel./ Data Socket  
MXMC245



Fan Control Single  
MXMC252



Sat. Socket Single  
MXMC239



10 Amp Intermediate Switch  
MXMC255



Sat. Socket Double  
MXMC240



Fan Control Double  
MXMC253



50mm 1 gang  
Box with Knockout  
MXMC249



50mm 2 gang  
Box with Knockout  
MXMC250

## Other Product in this range

CODE	DESCRIPTION
MXMC212	1 GANG 2 WAY PLATE SWITCH
MXMC214	2 GANG 2 WAY PLATE SWITCH
MXMC216	3 GANG 2 WAY PLATE SWITCH
MXMC218	4 GANG 2 WAY PLATE SWITCH
MXMC220	6 GANG 2 WAY PLATE SWITCH
MXMC223	20A 1 GANG DOUBLEPOLE SWITCH
MXMC225	46AMP DOUBLE POLE SWITCH,SINGLE PLATE
MXMC228	13A 1 GANG SWITCHED SOCKET SINGLE POLE
MXMC229	13A 2 GANG SWITCHED SOCKET SINGLE POLE
MXMC232	13 AMP UNSWITCHED FUSE CONNECTION UNIT WITH NEON
MXMC233	13AMP FUSE CONNECTION UNIT
MXMC234	13 AMP SWITCHED FUSE CONNECTION UNIT WITH NEON

CODE	DESCRIPTION
MXMC235	13 AMP SWITCHED FUSE CONNECTION UNIT
MXMC236	5 AMP SWITCH ROUND PIN SOCKET, BS546
MXMC238	15A 1GANG SWITCHED ROUND-PIN SOCKET + NEON, BS546
MXMC241	ISOLATED COAXIAL SOCKET, TWIN OUTLET
MXMC242	ISOLATED COAXIAL SOCKET, TWIN OUTLET + ONE BRANCH
MXMC243	1GANG TELEPHONE SOCKET, SECONDARY
MXMC244	1GANG TELEPHONE SOCKET, MASTER
MXMC245	1-G DATA SOCKET (8-TERMINAL)
MXMC246	2GANG TELEPHONE SOCKET, SECONDARY
MXMC247	40MM 1 GANG CAVITY BOX WITH KNOCKOUT
MXMC248	40MM 2 GANG CAVITY BOX WITH KNOCKOUT

# MASTERGUARD IP55



16Amp 1 gang 1 way  
MMG 4001  
16Amp 1 gang 2 way  
MMG 4002



16Amp 2 gang 1 way  
MMG 4003  
16Amp 2 gang 2 way  
MMG 4004



16Amp 3 gang 1 way  
MMG 4005  
16Amp 3 gang 2 way  
MMG 4006



Bell Push  
MMG 4007



13Amp Switch Socket  
MMG4010



13Amp Switch Socket Double  
MMG4013



15Amp Switch Socket Double  
MMG4014



15Amp Switch Socket  
MMG4015



16Amp Schuko Socket with Switch  
MMG4012



20Amp DP Switch With Neon  
MMG 4009



20Amp DP Switch Without Neon  
MMG 4008

# MASTERGUARD IP66



MMG6610



MMG6611



# AQUAGUARD IP65



MS658315S



MS658 13S

### Other Product in this range


CODE	DESCRIPTION
MMG6601	1 GANG 1 WAY
MMG6602	1 GANG 2 WAY
MMG6603	2 GANG 1 WAY
MMG6604	2 GANG 2 WAY
MMG6s605	3 GANG 1 WAY
MMG6606	3 GANG 2 WAY
MMG6609	20 A D.P SWITCH WITH NEON
MMG6610	13 A SINGLE SWITCHED SOCKET
MMG6611	13 A DOUBLE SWITCHED SOCKET

# FLOOR BOXES



**MXFB01.1**

Lid and Trim with Rigid cable exits Grey  
+ 3 Compartment Backbox 264 x 264 x  
86mm



**MXFB02.1 AL**

Our sleek new ergonomically designed pop-up boxes provide real ease of use and rapid connection solutions for mobile applications such as PCs, mobile phones, audio and video systems.

Users have a choice of high and low current desk or floor

---

## CEILING ROSE



**MS1000**

Ceiling connector -Plug in type. PC body, 3 pin with earthing strip, grip in the cover and can sustain 5 KG mechanical strength-WHITE

**MS1001**

Ceiling connector -Plug in type. PC body, 4 pin with earthing strip, grip in the cover and can sustain 5 KG mechanical strength - 4pin RED

**MS1100**

Ceiling Rose (Normal)

# SECURAA

## TRAILING SOCKETS:

- Made from engineering plastic PC, high impact resistance.
- Fully shuttered 13A 4 / 5 / 6 gang trailing socket,
- Normal or Surge protected.
- As per BS 1363-A .
- Nickel plated brass sleeved pins and fuse protected.
- Individual on off rocker with neon lights.
- May be wall mounted or portable
- Standard 2 meter cable with plug top or without cable.

13 Amp / BS Socket



**MSUK504S**



**MSUK503S**



16 Amp / Universal Socket



**MSW504S**



**MSW503S**

13 Amp / BS Socket



**MSUK206S**



**MSUK205S**



**MSUK504S**



**MSUK203S**

16 Amp / Universal Socket



**MSW906S**



**MSW905S**



**MSW904S**



**MSW903S**

13 Amp BS / 16Amp Socket



**MSUK5023S**



**MSUK5028S**  
13 Amp BS Socket

## TRAILING SOCKETS:

- Made from engineering plastic PC, high impact resistance.
- Fully shuttered 16A 4 / 5 / 6 gang trailing socket,
- Normal or Surge protected.
- As per EN 1363-A .
- Nickel plated brass and fuse protected.
- Switch rocker with neon lights.
- May be wall mounted or portable
- Standard 2 meter cable with plug top or without cable.

### 16 Amp German Scuko Socket



**MSG06SC**



**MSG05SC**




**MSG03SC**



**MSG03SC**

### 16 Amp German Scuko Socket



**MSG16SC**



**MSG15SC**



**MSG13SC**



**MSG13SC**

## PLUG TOP:

- Made from engineering plastic PC, high impact resistance.
- Nickel plated brass sleeved pins and fuse protected.
- Neon power warning light.
- As per relevant BS/EN standard.

### 13 Amp Plug



**MS9528 / MS9528L**

### 15 Amp Plug



**MSV6615 / MSV6615L**

### 13 Amp Plug



**MS9548 / MS9548L**



**MS1310**



**MS8813**



**MS343B / MS343A**

# SECURAA

## Adaptor



**MS939SL**

**MSN1928 / MSN1928L**

**MSW936L**

## Travel Adaptor



**MS1927 MS1928 MS1929**  
**MS1927L MS1928L MS1929L**

**MS933L**

## Adaptor



**MS024UK / MS024G**

## Bed Switch



**MS1924 / MS1925 / MS1926**  
**MS1924L / MS1925L / MS1926L**

**MS5048L**

**MS5048**

## Lamp Holder



**MSW330**

**MS230E / MS230B**

**MS210C / MS210E**





UK Office:

Maximus Integrated Technologies Limited  
16 St Martin's Le Grand  
St Paul's. London EC1A 4EN  
Tel: +44 (0) 2035512650 / Fax: +44 (0) 2073978400  
Email; [contact@maximusonline.co.uk](mailto:contact@maximusonline.co.uk)

Middle East Office:

Maximus ME Integrated Technologies FZCO.  
P.O. Box: 341250, Apricot Tower Office no. 606  
6th floor, Dubai Silicon Oasis, Dubai - UAE.  
Tel: +971 4 326 7 +971 4 326 7341  
Email: [dubai@maximusonline.co.uk](mailto:dubai@maximusonline.co.uk)  
[www.maximusonline.co.uk](http://www.maximusonline.co.uk)

India Office:

Maximus India Integrated Technologies Private Limited  
1246, "Krishna", 10th main Road, 12th B Cross, West of Chord  
Road 2ndStage, Mahalakshmpuram, Bangalore -  
560 086, Karnataka, India  
Tel: +91 8023492125 Fax: +91 8023492175  
Email: [hari@maximusonline.co.uk](mailto:hari@maximusonline.co.uk)  
[india@maximusonline.co.uk](mailto:india@maximusonline.co.uk)