



**MAXIMS**  
MAXIMS



Exactaa  
FX9CFS9



# EXACTAA

## ASC PANELS FOR BUILDING YARD

Distribution boards wired in factory according to the REFERENCE RULE EN 60439-4 italian edition 17-13/4. They are made of thermoplastic material in grey colour RAL. IP55 degree of protection resistant to impacts, water and highly polluted air. They are fit for building yards, tertiary industry and heavy environment to feed small apparatus and tools. They are available with and without emergency push-button. They are particularly fit as general board for small yard. They are equipped with interlocked sockets with megnetothermic protection and with external brass pin for the connection of the earthing of the yard (besides the plug one).

Supply with 1 metre of cable H07RN-F and CEE plug IP67.

**Suggested use: General board for small building yard.**



Art. MR2260

### ASC panels with 3 CEE sockets IP67

CODICE	PRESE			DIFF. IDNO.03	ALIMENTAZIONE		POTENZA EROGABILE	EMERG.
	16A 3P+N+T 380V	16A 2P+T 220V			CAVO	SPINA 16A		
MR2260		3		2P 16A	3X2,5	2P+T	3 KW	NO
MR2261	3			4P 16A	4X2,5	3P+T	10 KW	NO
MR2262	2	1		4P 16A	5X2,5	5P	10KW/380V 3KW/220V	NO
MR2263	1	2		4P 16A	5X2,5	5P	10KW/380V 3KW/220V	NO



Art. MR2242

### ASC panels with 4 CEE sockets IP67

CODICE	PRESE			DIFF. IDNO.03	ALIMENTAZIONE		POTENZA EROGABILE	EMERG.
	16A 3P+N+T 380V	16A 3P+T 380V	16A 2P+T 220V		CAVO	SPINA 16A		
MR2240			4	2P 16A	3X2,5	2P+T	3 KW	NO
MR2241			4	2P 16A	3X2,5	2P+T	3 KW	SI
MR2242		2	2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2243		2	2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2244		4		3P 16A	4X2,5	3P+T	10 KW	NO
MR2245		4		3P 16A	4X2,5	3P+T	10 KW	SI
MR2246	2	2		4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2247	2	2		4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2248	2		2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2249	2		2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	SI



Art. MR2240C

### ASC panels with 4 CEE sockets IP67 and frame

CODICE	PRESE			DIFF. IDNO.03	ALIMENTAZIONE		POTENZA EROGABILE	EMERG.
	16A 3P+N+T 380V	16A 3P+T 380V	16A 2P+T 220V		CAVO	SPINA 16A		
MR2240C			4	2P 16A	3X2,5	2P+T	3 KW	NO
MR2241C			4	2P 16A	3X2,5	2P+T	3 KW	SI
MR2242C		2	2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2243C		2	2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2244C		4		3P 16A	4X2,5	3P+T	10 KW	NO
MR2245C		4		3P 16A	4X2,5	3P+T	10 KW	SI
MR2246C	2	2		4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2247C	2	2		4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2248C	2		2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2249C	2		2	4P 16A	5X2,5	3P+N+T	10KW/380V 3KW/220V	SI

### PORTABLE BOARD WITH 4 SOCKETS

ASC board composed of 4 sockets 16A available in different models. It is composed of CEE sockets with IP55 degree of protection and supplied with 1 metre of neoprene cable H07RN-F and CEE plug. It is equipped with handle and little feet of support. It is also available with transformer 160VA.

**Recommended use: plane board, underboard**

### ASC panels with 6 CEE sockets IP67

CODICE	PRESE				DIFF. IDN003	ALIMENTAZIONE		POTENZA EROGABILE	EMERG.
	16A 3P+N+T 380V	16A 3P+T 380V	16A 2P+T 220V	SCHUKO BIV.		16A	CAVO		
MR2275	-	3	3	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2276	2	2	2	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2277	1	2	2	1	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2278	1	1	2	2	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2279	-	-	6	-	2x2P	3x2,5	2P+T	3KW/220V	NO
MR2280	-	6	-	-	1x4P	4x2,5	3P+T	10KW/380V	NO
MR2281	-	3	3	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2282	2	2	2	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2283	1	2	3	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2284	-	-	6	-	2x2P	3x2,5	2P+T	3KW/220V	SI
MR2285	-	6	-	-	1x4P	4x2,5	3P+T	10KW/380V	SI
MR2286	-	4	2	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI



Art. MR2275

### ASC panels with 6 CEE sockets IP67 and frame

CODICE	PRESE				DIFF. IDN003	ALIMENTAZIONE		POTENZA EROGABILE	EMERG.
	16A 3P+N+T 380V	16A 3P+T 380V	16A 2P+T 220V	SCHUKO BIV.		16A	CAVO		
MR2275C	-	3	3	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2276C	2	2	2	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2277C	1	2	2	1	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2278C	1	1	2	2	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	NO
MR2279C	-	-	6	-	2x2P	3x2,5	2P+T	3KW/220V	NO
MR2280C	-	6	-	-	1x4P	4x2,5	3P+T	10KW/380V	NO
MR2281C	-	3	3	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2282C	2	2	2	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2283C	1	2	3	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI
MR2284C	-	-	6	-	2x2P	3x2,5	2P+T	3KW/220V	SI
MR2285C	-	6	-	-	1x4P	4x2,5	3P+T	10KW/380V	SI
MR2286C	-	4	2	-	1x4P	5x2,5	3P+N+T	10KW/380V 3KW/220V	SI



Art. MR2275



Art. MR220C

# EXACTAA

## ASC PANELS FOR BUILDING YARD

This kind of switch-boards have a close structure compared with bigger switch-boards and feed on a strict number of uses. The external envelope of the switch-board is made of thermoplastic material with high mechanic and electric resistance. Due to its adaptability, compactness and strength, satisfies the several plants' needs into normal or particular environments. It is available either in the one-phase or three-phase version. Composed of taps with protection grade IP67, equipped with 1 m. of neoprene cable HO7RN-F and plug CEE.

They respect the European Rule EN 60439-4, "Assembled equipments used in the building yards"

**Suggested use: beneath the panel, plane panel.**

### ASC panels with 4 interlocked sockets IP67



Art. MR2260

CODICE	32A 3P+N+T 380V	32A 3P+T 380V	16A 3P+N+T 380V	16A 3P+T 380V	16A 2P+T 220V	PROTEZIONI			ALIMENTAZIONE		POTENZA EROGABILE	EMERG.	
						DIFF. IONQ.03	MT 6KA		CAVO	SPINA			
						4P	3P	2P					
MR2200					4	2P 25A		4	3X2,5	16A 2P+T	3 KW	NO	
MR2201					4	2P 25A		4	3X2,5	16A 2P+T	3 KW	SI	
MR2202					2	2	4P 25A	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	NO
MR2203					2	2	4P 25A	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	SI
MR2204			1	1	2	4P 25A	1	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	NO
MR2205			1	1	2	4P 25A	1	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	SI
MR2206					4	2P 40A		4	3X6	32A 2P+T	6 KW	NO	
MR2207					4	2P 40A		4	3X6	32A 2P+T	6 KW	SI	
MR2208					2	2	4P 40A	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2209					2	2	4P 40A	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI
MR2210			1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2211			1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI
MR2212		1	1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2213		1	1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI
MR2214	1				2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2215	1				2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI

### ASC panels with 4 interlocked sockets IP67 and frame



Art. MR2200C

CODICE	32A 3P+N+T 380V	32A 3P+T 380V	16A 3P+N+T 380V	16A 3P+T 380V	16A 2P+T 220V	PROTEZIONI			ALIMENTAZIONE		POTENZA EROGABILE	EMERG.	
						DIFF. IONQ.03	MT 6KA		CAVO	SPINA			
						4P	3P	2P					
MR2200C					4	2P 25A		4	3X2,5	16A 2P+T	3 KW	NO	
MR2201C					4	2P 25A		4	3X2,5	16A 2P+T	3 KW	SI	
MR2202C					2	2	4P 25A	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	NO
MR2203C					2	2	4P 25A	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	SI
MR2204C			1	1	2	4P 25A	1	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	NO
MR2205C			1	1	2	4P 25A	1	1	1	5X2,5	16A 5P	10KW/380V 3KW/220V	SI
MR2206C					4	2P 40A		4	3X6	32A 2P+T	6 KW	NO	
MR2207C					4	2P 40A		4	3X6	32A 2P+T	6 KW	SI	
MR2208C					2	2	4P 40A	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2209C					2	2	4P 40A	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI
MR2210C			1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2211C			1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI
MR2212C		1	1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2213C		1	1	1	2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI
MR2214C	1				2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	NO
MR2215C	1				2	4P 40A	1	1	1	5X6	32A 5P	18KW/380V 6KW/220V	SI

Maximus propone una serie di quadri da cantiere ASC (apparecchiature di serie per cantiere) per soddisfare le più svariate esigenze di distribuzione elettrica con una gamma che va da 5 a 12 prese cee interbloccate, 16-32-63A. Tutti i nostri quadri sono completi di certificazioni e schemi elettrici essendo conformi alla norma CEI 64-8/7 e alla norma EN60439-4. La vasta gamma di prese interbloccate Maximus permette a richiesta di eseguire le più svariate combinazioni di quadri anche se non presenti a catalogo di serie.



Technical data page 112 pictures 85

### Asc panels with 5 interlocked sockets with fuse, IP67

COD. ART.	SPINA SP 63A	PULS. EMERGENZA	MORSETTIERA	PRESE SCHUKO	PRESE INTERBLOCCATE						PROTEZIONE IN USCITA						ALIMENTAZIONE		
					16A		32A		63A		16A MT		32A MT		63A	MT GEN. 6KA C	DIFF. GEN. 30MA AC	POTENZA KW	
					2P+T	3P+T	3P+N+T	2P+T	3P+T	3P+N+T	3P+T	3P+N+T	1P+N	3P	4P	2P	3P	4P	4P
MR3100		1	1		2	2			1								1 63A	1 63A	35
MR3101		1	1		5												1 63A	1 63A	30
MR3102		1	1		3	1				1							1 63A	1 63A	35
MR3103		1	1		3	1	1										1 63A	1 63A	35
MR3104		1	1		3	1			1								1 63A	1 63A	35
MR3105		1	1		2	2	1										1 63A	1 63A	35
MR3106		1	1		3		1			1							1 63A	1 63A	35
MR3107		1	1		3	2											1 63A	1 63A	35
MR3108		1	1		2	2				1							1 63A	1 63A	35
MR3109		1	1		4					1							1 63A	1 63A	35
MR3110		1	1		1	2			1					1			1 100A	1 100A	50
MR3111		1	1		1	3			1								1 63A	1 63A	35
MR3112		1	1		4	1											1 40A	1 40A	18
MR3113		1	1		2	1			1					1			2-63A	2 63A	50
MR3114		1	1		3				1								1 63A	1 63A	35
MR3115	1	1			3	1			1								1 63A	1 63A	35
MR3116		1	1		2	2				1							1 63A	1 63A	35
MR3117		1	1		2	1				1				1			2 63A	2 63A	50
MR3118		1	1		2		2			1							1 63A	1 63A	35
MR3119		1	1		1		3			1							1 63A	1 63A	35
MR3120		1	1		1		2			2							1 63A	1 63A	35
MR3121	1	1			2	2			1								1 63A	1 63A	35
MR3122	1	1			5												1 63A	1 63A	30
MR3123	1	1			3	1				1							1 63A	1 63A	35
MR3124	1	1			3	1	1										1 63A	1 63A	35
MR3125	1	1			3	1			1								1 63A	1 63A	35
MR3126	1	1			2	2	1										1 63A	1 63A	35
MR3127	1	1			3		1			1							1 63A	1 63A	35
MR3128	1	1			3	2											1 63A	1 63A	35
MR3129	1	1			2	2				1							1 63A	1 63A	35
MR3130	1	1			4					1							1 63A	1 63A	35
MR3131	1	1			1	2			1					1			1 100A	1 100A	50
MR3132	1	1			1	3			1								1 63A	1 63A	35
MR3133	1	1			4	1											1 40A	1 40A	18
MR3134	1	1			2	1			1					1			2-63A	2 63A	50
MR3135	1	1			3				1								1 63A	1 63A	35
MR3136	1	1			2	2				1							1 63A	1 63A	35
MR3137	1	1			2	1				1				1			2 63A	2 63A	50
MR3138	1	1			1		3			1							1 63A	1 63A	35
MR3139	1	1			1		2			2							1 63A	1 63A	35
MR3140	1	1			2		2			1							1 63A	1 63A	35

# EXACTAA

## ASC PANELS FOR BUILDING YARD

Questa tipologia di quadro viene fornito con prese interbloccate con interruttore automatico ripristinabile dall'esterno dotate di spia di segnalazione presenza rete. Questo per rendere il cantiere sempre disponibile individuando subito dov'è il guasto e ripristinando il circuito solo tramite la manopola della presa.



Technical data page 112 pictures 85

### ASC panel with 5 interlocked sockets with MCB

COD. ART.	SPINA SP 32A	SPINA SP 63A	PULS. EMERGENZA	MORSETTERIA	PRESE SCHUKO	PRESE INTERBLOCCATE						PROTEZIONE IN USCITA						ALIMENTAZIONE					
						16A			32A			63A		16A MT			32A MT			63A	MT GEN.	DIFF. GEN.	POTENZA KW
						2P+T	3P+T	3P+N+T	2P+T	3P+T	3P+N+T	3P+T	3P+N+T	1P+N	3P	4P	2P	3P	4P	4P	6KA C	30mA AC	
MR3150			1	1		2	2		1			2	2		1			1 63A	1 63A	35			
MR3151			1	1		3	1		1			3	1		1			1 63A	1 63A	35			
MR3152			1	1		2	2			1		2	2			1		1 63A	1 63A	35			
MR3153			1	1		2	2	1			1	2	2	1		1		1 63A	1 63A	35			
MR3154			1	1		3	3		1			3	3		1			1 63A	1 63A	35			
MR3155			1	1		2	2		1			2	2		1	1		1 100A	1 100A	55			
MR3156	1		1			4		1				4		1				1 32A	1 32A	18			
MR3157			1	1		1	2		1	1		1	2		1	1		1 63A	1 63A	35			
MR3158	1	1				3	1			1		3	1			1		1 63A	1 63A	35			
MR3159	1	1				3	1		1			3	1		1			1 63A	1 63A	35			
MR3160			1	1		1		1		1		1		1	1	1		1 100A	2 x 63	50			
MR3161			1	1		5						5						1 63A	1 63A	30			
MR3162			1	1		2	2			1		2	1			1		1 63A	1 63A	35			
MR3163			1	1		2		2		1		2		2		1		1 63A	1 63A	35			
MR3164			1	1				5						5				1 63A	1 63A	35			
MR3165			1	1		4		1				4		1				1 32A	1 32A	18			
MR3166	1	1				1	2		1	1		1	2		1	1		1 63A	1 63A	35			
MR3167			1	1		3	1			1		3	1			1		1 63A	1 63A	35			
MR3168			1	1		3	1		1			3	1		1			1 63A	1 63A	35			
MR3169	1	1				5						5						1 63A	1 63A	30			
MR3170	1	1				2	2			1		2	1			1		1 63A	1 63A	35			
MR3171	1	1				2		2		1		2		2		1		1 63A	1 63A	35			
MR3172	1	1						5						5				1 63A	1 63A	35			
MR3173	1	1				2	2		1			2	2		1			1 63A	1 63A	35			
MR3174	1	1				3	1		1			3	1		1			1 63A	1 63A	35			
MR3175	1	1				2	2			1		2	2			1		1 63A	1 63A	35			
MR3176	1	1				2	2	1		1		2	2	1		1		1 63A	1 63A	35			
MR3177	1	1				3	3		1			3	3		1			1 63A	1 63A	35			
MR3178	1	1				2	2		1		1	2	2		1	1		1 100A	1 100A	55			



Art. MR3100CAV

Technical data page 112 pictures 85

### ASC panel with 6-8 interlocked sockets with MCB

COD. ART.	SPINA SP 32A	SPINA SP 63A	PULS. EMERGENZA	MORSETTIERA	PRESE SCHUKO	PRESE INTERBLOCATE						PROTEZIONE IN USCITA						ALIMENTAZIONE			N° DI PRESE
						16A		32A		63A		16A MT		32A MT		63A	MT GEN. 6KA C	DIFF. GEN. 30MA AC	POTENZA KW		
						2P+T	3P+N+T	2P+T	3P+N+T	3P+T	3P+N+T	1P+N	3P	4P	2P	3P	4P	4P			
MR3200E	1		1			3	2				1		3	1				1 32A	1 32A	18	6
MR3201E	1		1			3	1				1		3	1				1 32A	1 32A	18	
MR3202E	1		1			4	1				1		4	1				1 32A	1 32A	18	
MR3203E	1		1			3	2				1		3	1				1 32A	1 32A	18	
MR3204E	1		1			2	2	1			1		2	2	2			1 32A	1 32A	18	
MR3205E	1		1			2	2		1		1		2	2				1 32A	1 32A	18	
MR3206E			1	1		3		2			1		3	1	1			1 63A	1 63A	35	
MR3207E			1	1		2					2		2+diff		2+diff	1	1 100A		55		
MR3208E		1		1		3	2			1			3	1		1		1 63A		35	
MR3209E			1	1		4	2	1			1		4	1	1		1	1 63A	1 63A	35	
MR3210E			1	1		3	3	1			1		3	1	1		1	1 63A	1 63A	35	
MR3211E			1	1		4	4						4	2				1 63A	1 63A	35	
MR3212E			1	1		3	3			1	1		3	1	1		1	1 63A	1 63A	35	
MR3213E			1	1		4	2	1		1			4	1		1		1 63A	1 63A	35	
MR3214E			1	1		3	3		1		1		3	3	1		1	1 63A	1 63A	35	
MR3215E			1	1		5		2			1		5		1		1	1 63A	1 63A	35	
MR3216E			1	1		3	2				2		3+diff	2		2+diff	1	1 100A		55	
MR3217E			1	1	1	4	2			1	1		4	2		1	1	1 63A	1 63A	35	
MR3218E			1	1		4	2	1			1		4	1	1		1	1 63A	1 63A	35	
MR3219E			1	1		3	3	1			1		3	1	1		1	1 63A	1 63A	35	
MR3220E			1	1		4	4						4	2				1 63A	1 63A	35	
MR3221E			1	1		3	3			1	1		3	1	1		1	1 63A	1 63A	35	
MR3222E			1	1		4	2	1		1			4	1		1		1 63A	1 63A	35	
MR3223E			1	1		3	3		1		1		3	3	1		1	1 63A	1 63A	35	
MR3224E			1	1		5		2			1		5		1		1	1 63A	1 63A	35	
MR3225E			1	1		2				2		1	3+diff	2		2+diff	1	1 100A		55	
MR3226E			1	1		4	2			1			4	2		1	1	1 63A	1 63A	35	

### ASC panel from 7 up to 12 interlocked sockets with MCB

COD. ART.	SPINA SP 32A	SPINA SP 63A	PULS. EMERGENZA	MORSETTIERA	PRESE SCHUKO BIVAL.	PRESE INTERBLOCATE						PROTEZIONE IN USCITA						ALIMENTAZIONE			N° DI PRESE
						16A		32A		63A		16A MT		32A MT		63A	MT GEN. 6KA C	DIFF. GEN. 30MA AC	POTENZA KW		
						2P+T	3P+N+T	2P+T	3P+N+T	3P+T	3P+N+T	1P+N	3P	4P	2P	3P	4P	4P			
MR3240			1	1		2	2			2		1						2 63A	2 63A	50	7
MR3241			1	1		3		3			1		3		3			2 63A	2 63A	50	8
MR3242		1	1		2	1		4			1		2	2		1		1-63+25		25	8
MR3243		1	1		2	1		3			2		2			1		1-63+25		25	8
MR3244		1	1		2	1		4			2		2	2				1-63+25		80	7
MR3245		1	1		2	1		2			2		2	1		1		1-63+25		35	7
MR3246		1	1		2	1		2			2		2	1		1		1-63+25		25	8
MR3247		1	1		2	1		5			4		2	2		1		2-63+25		35	12
MR3248		1	1		2	1		4			5		2	2		2		1-63+25		35	12
MR3249		1	1		2	1		3			3		2	2		1		2-63+25		35	10

  

COD. ART.	SPINA SP 32A	SPINA SP 63A	PULS. EMERGENZA	MORSETTIERA	PRESE SCHUKO 24V 16.224VS	PRESE INTERBLOCATE						PROTEZIONE IN USCITA						ALIMENTAZIONE			N° DI PRESE	
						16A		32A		63A		16A MT		32A MT		63A	MT GEN. 6KA C	DIFF. GEN. 30MA AC	POTENZA KW			
						2P+T	3P+N+T	2P+T	3P+N+T	3P+T	3P+N+T	1P+N	3P	4P	2P	3P	4P	4P				
MR3297		1	1		1	4		2					1					1 63A		7		
MR3298			1	1		2 inc.			2 inc.		2 inc.		4+1 125A	2		2	1	2	1 125A	1 125A	8	
MR3299		1	1			2	1	3			3				2		1		1-63+25		9	

# EXACTAA

## PLUGS AND SOCKETS 3H, CONTAINER VERSION



Art. MR8524-3H



Art. MR8414-3H



Art. MR2568



Art. MR7005Q-3H



Art. MR1366-3H



Art. MR1566-3H



Art. MR16.3332R3



Art. MR3332R3



Art. MR332R3MT



Art. MR19.3332R3

### Spine e prese volanti / Plugs and connectors

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR8414-3H	32	3P+E	3	67	380-415		4/60
MR8524-3H	32	3P+E	3	67	380-415		4/60

### Preso da parete / wall socket

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR2568	32	3P+E	3	67	380-415		2/30

### Preso a incasso / panel socket

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR7005Q-3H	32	3P+E	3	67	380-415		5/75

### Preso a incasso dritta con flangia 75 x 75 / straight panel socket with flange 55x55

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR1366-3H	32	3P+E	3	67	380-415		5/75

### Moltiplicatore a 3 uscite / 3 Way adaptor

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR1566-3H	32	3P+E	3	67	380-415		1

### Preso interbloccata serie 16 IP67 con barra DIN / interlocked socket series 16 with DIN rail IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR16.3332R3D	32	3P+E	3	67	380-415		1/10

### Preso interbloccata serie 16 IP67 con barra DIN / interlocked socket series 16 with DIN rail IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR16.3332R3	32	3P+E	3	67	380-415		1/10

### Preso interbloccata serie 16 IP67 con magnetotermico curva C / interlocked socket series 16 with MCB IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR16.3332R3MT	32	3P+E	3	67	380-415		1/10

### Preso interbloccata serie 14 IP67 / interlocked socket series 14 IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR3332R3	32	3P+E	3	67	380-415		1/15

### Preso interbloccata serie 15 IP67 con barra DIN / interlocked socket series 15 with DIN rail IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR3332R3D	32	3P+E	3	67	380-415		1/15

### Preso interbloccata serie 15 IP67 / interlocked socket series 15 IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR3332R3	32	3P+E	3	67	380-415		1/15

### Preso interbloccata serie 15 IP67 con magnetotermico curva C / interlocked socket series 15 with MCB IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR3332R3MT	32	3P+E	3	67	380-415		1/15

### Preso interbloccata serie 19 IP67 / interlocked socket series 19 IP67

ITEM	A	POLES	H	IP	TENSION		PECES X PACK
MR19.3332R3	32	3P+E	3	67	380-415		1/10