


NOVA

Wall mounted enclosures - IP-65 Protection

Art Code MS3904



ENCLOSURE
217 x 141 x 105, 4 elementos puerta opaca
217 x 141 x 105, 4 way unit with opaque cover



Art Code MS3908



ENCLOSURE
217 x 235 x 105, 8 elementos puerta opaca
217 x 235 x 105, 8 way unit with opaque cover



Art Code MS3912



ARMARIO ENCLOSURE
217 x 307 x 105, 12 elementos puerta opaca
217 x 14 x 105, 12 way unit with opaque cover



Wall mounted enclosures - IP-65 Protection

Degree of protection	IP-65
Resistance to impact	IK 08
Test of resistance to glow wire	650°C
Auto-extinguishing degree	HB(UL94)
Dimensional stability	-25°C+85°C
Ball pressure test	70°
Applicable norm	EN 60 439-1-3

Art Code MS3926



ARMARIO ENCLOSURE
409 x 307 x 150, 20 elementos puerta opaca, 2 ran x 13 elementos
409 x 307 x 150, 20 way unit with opaque cover, 2 row x 13 elements



Art Code MS3942



ARMARIO ENCLOSURE
663 x 326 x 150, 42 elementos puerta opaca, 3 ran x 14 elementos
663 x 326 x 150, 42 way unit with opaque cover, 3 row x 14 elements



NOVA

Wall mounted enclosures - IP-65 Protection

Art Code MS3902-T



ARMARIO ENCLOSURE
170 x 100 x 105, 2/4 elementos puerta
transparente
170 x 100 x 105, 2/4 way unit with smoke
tinted transparent cover



Art Code MS3904-T



ARMARIO ENCLOSURE
217 x 141 x 105, 4 elementos puerta
transparente
217 x 141 x 105, 4 way unit with smoke
tinted transparent cover



Art Code MS3908-T



ARMARIO ENCLOSURE
217 x 235 x 105, 8 elementos puerta
transparente
217 x 235 x 105, 8 way unit with smoke
tinted transparent cover



Art Code MS3912-T



ARMARIO ENCLOSURE
217 x 307 x 105, 12 elementos puerta
transparente
217 x 307 x 105, 12 way unit with smoke
tinted transparent cover



NUEVO/NEW



Door / handle bar



Door latch



Detachable 1/4 turn screw



Optional metal lock




Door release

Art Code MS3926-T



ARMARIO ENCLOSURE
409 x 307 x 150, 26 elementos puerta
transparente, 2 lot x 13 elementos
409 x 307 x 150, 26 way unit with smoke
tinted transparent cover, 2 row x 13
elements



Art Code MS3942-T



ARMARIO ENCLOSURE
563 x 326 x 150, 42 elementos puerta
transparente, 3 lot x 14 elementos
563 x 326 x 150, 42 way unit with smoke
tinted transparent cover, 3 row x 14
elements



Wall mounted enclosures - IP-65 Protection

Degree of protection	IP-65
Resistance to impact	IK 08
Test of resistance to glow wire	650°C
Auto-extinguishing degree	HB(UL94)
Dimensional stability	-25°C+85°C
Ball pressure test	70°
Applicable norm	EN 60 439-1-3

NOVA

Flush mounted enclosures - IP-65 Protection

Art Code MS3504



ENCLOSURE
188 x 111 x 55, 4 elementos puerta trans-
parente
188 x 111 x 55, 4 way unit with smoke
tinted transparent cover



Earth / neutral bar

Ref. Item. 3508



ENCLOSURE
188 x 230 x 55, 8/10 elementos puerta
transparente
188 x 230 x 55, 8/10 way unit with smoke
tinted transparent cover



Art Code MS3512



ENCLOSURE
188 x 276 x 55, 12/14 elementos puerta
transparente
188 x 276 x 55, 12/14 way unit with smoke
tinted transparent cover



Decorative screws



Drill hole horizontal



Wide space for cables

Art Code MS3518



ENCLOSURE
188 x 344 x 55, 18 elementos puerta
transparente*
188 x 344 x 55, 18 way unit with smoke
tinted transparent cover*



*Width of window = 112

Flush-wall mounted enclosures - IP-40 Protection

Degree of protection	IP-40
Resistance to impact	IK 08
Test of resistance to glow wire	650°C
Auto-extinguishing degree	HB(UL94)
Dimensional stability	-25°C+85°C
Ball pressure test	70°
Applicable norm	EN 60 439-1-3

Art Code MS3524



ENCLOSURE
332 x 286 x 76, 24 elementos puerta trans-
parente, 23/24 x 12 elementos
332 x 286 x 76, 24 way unit with smoke
tinted transparent cover, 2 rows x 12
elements



Art Code MS3536



ENCLOSURE
482 x 286 x 76, 36 elementos puerta trans-
parente, 23/36 x 12 elementos
482 x 286 x 76, 36 way unit with smoke
tinted transparent cover, 3 rows x 12
elements

